## I CLAIM:

1. A composition having formula I or II:

 $X_1$ -P- $X_2$ -Z-M

**(I)** 

 $M-Z-X_2-P-X_1$ 

(II)

10 wherein:

5

15

20

X<sub>1</sub> is from zero to twenty natural or synthetic amino acids;

P is a peptide comprising Gly Pro Arg (SEQ ID NO: 2), or an analog or fragment thereof;

X<sub>2</sub> is from zero to twenty natural or synthetic amino acids;

Z is a linker comprising one or more natural or synthetic amino acids; and

M is a radiolabeling moiety comprised of a chelating moiety capable of complexing with a selected radionuclide.

2. The composition according to Claim 1 comprising SEQ ID NO: 1.

3. The composition according to Claim 1, wherein the radiolabeling moiety is complexed to the radionuclide.

- 4. The composition according to Claim 3, wherein the radionuclide is technetium-99m.
  - 5. The composition according to Claim 3 having the formula:

30

25

35 6. The composition according to Claim 1, wherein M comprises Gly –(D)-Ala-Gly-Gly (SEQ ID NO: 3) as a chelating moiety for a radionuclide.

- 7. A method of imaging mammalian cells or tissue, comprising administering a diagnostically effective amount of the composition of Claim 1 to a mammal at a target site and detecting the composition at said target site.
- 8. The method of Claim 6, wherein said target site is a mammalian thrombus.
- 9. A method of imaging thrombus in a mammal, comprising: administering a diagnostically effective amount of a composition that binds to fibrin, said composition having a radiolabeling moiety; and detecting said composition at a site of said thrombus.

15

10

5

20

25

30

35